1572 Size XXSmall - XXLarge



Includes pattern & instructions

FUNtastic Patterns for Little Dogs!





Belly Band A

Belly Band B



To print patterns properly select the following options in Adobe Reader print section:
Size Options - "Actual Size"
Orientation - "Auto portrait/landscape"

© 2013 Sofi & Friends * Sold for personal use only and not for commercial or manufacturing purposes

Pattern 1572 Size XXSmall - XXLarge





Belly Band A



Belly Band B

SUGGESTED FABRICS: light to medium weight cotton & cotton blends; denim or Ultrasuede. Flannel or fleece for lining.

NOTIONS

thread; Velcro - see patterns for size of Velcro; sheerweight fusible interfacing for XXSm, XSm, Sm, Med & Large featherweight fusible interfacing for XLg & XXLg

BODY MEASUREMENTS - See measurement image on next page

	XXS	XS	SM	MED	LG	XLG	XXLG
Belly	7 - 8 ^{1/2} "	8 ^{1/2} - 10"	10 - 11 ^{1/4} "	11 ^{1/4} - 12 ^{3/4} "	12 ^{3/4} - 14 ^{1/4} "	14 ^{1/4} - 16 ^{1/2} "	16 ^{1/2} - 19"
Neck	5 ^{1/2} - 7"	6 ^{1/2} - 8"	7 - 8 1/2"	7 ^{3/4} - 9 ^{1/4} "	9 - 10 ^{1/2} "	10 - 11 ^{1/2} "	12 - 13 ^{1/2} "
Girth	$9^{1/4}$ - $10^{3/4}$ "	10 ^{1/2} - 12"	12 - 13 ^{1/2} "	13 ^{1/4} - 14 ^{3/4} "	15 - 16 ^{3/4} "	16 ^{1/2} - 18 ^{1/2} "	19 - 21
Length	7 3/8"+	8 ^{1/8} "+	8 ^{7/8} "+	10"+	10 ^{5/8} "+	12"+	13 ^{3/4} "+

Measuring your Dog - use a soft tape measure keeping it a bit loose; you should be able to slide a finger between the dog and tape

NECK: Measure around widest part of neck where collar sits

GIRTH: Measure behind front legs where chest starts

LENGTH: Measure from base of neck (between shoulder blades) to where tail starts

BELLY BAN				414	4.14				
Fabric 45" (yd)	1/8	1/4	1/4	1/4	1/4	1/4	1/4		
Lining 45" (yd)	1/8	1/4	1/4	1/4	1/4	1/4	1/4		
Interfacing 20" (yd)	1/8	1/4	1/4	1/4	1/4	5/8	3/4		
BELLY BAND B									
BELLY BAN	DB								
Fabric	D B 1/8	1/4	1/4	1/4	1/4	1/4	1/4		
		1/4	1/4	1/4	1/4 1/4	1/4 1/4	1/4		

SEWING INFORMATION



Use 1/4" (XXSm to Lg) or 3/8" (XLg to XXLg) seam allowance on all seams unless otherwise noted. Press all seam allowances as noted in instructions.

Pattern Markings

Grainline - Place on straight grain of fabric, parallel to selvage or fold.

FOLD Place line on fold of fabric.

GLOSSARY

EASESTITCH-Stitch along seamline, using long machine stitches. Pull thread ends to adjust the fit.

GATHER-Stitch along seamline using long machine stitches. Pull thread ends to adjust the fit.

REINFORCE-Stitch again along seamline using small machine stitches.

TOPSTITCH-On outside, stitch 1/8" to 3/16" from seam depending on size of pattern.

CLIP CURVES-Notch inside curves and clip outside curves.


TRIM CORNERS-Trim excess fabric from outside corners.

FINISH EDGE-Use a zigzag stitch, or stitch of your choice, to finish raw edge of fabric.

TIPS

Use knitting needle to **gently** turn square corners right side out.

Overlap Velcro right over left and place softer side of Velcro on right side of garment. It will be softer for the dog if Velcro comes into contact with the skin.







The following instructions demonstrate how to alter this pattern to fit your dog perfectly. Begin with the Body Measurements noted on the 1st page of the pattern.

Altering Belly Bands A & B

Fit pattern to your dog prior to cutting fabric. If alterations are necessary the pattern may be "trimmed" or "added to" as shown below.



Add to or trim from RED lines




SEWING INSTRUCTIONS


 Following manufacturer's instructions apply interfacing to Belly Band.

Note: interfacing is not necessary if using a heavier fabric such as denim or Ultrasuede.


 RIGHT sides together sew Lining to Belly Band leaving open between dots. (View A)



- Trim corners and turn Belly Band right side out through opening. Press.
- Fold hem on Belly Band & Lining and hand sew opening. (View B)



5) Topstitch all four edges of Belly Band. (View C)




...


- 6) Sew Velcro to ends of Belly Band as noted on pattern. (View D)
- Clip Velcro corners to keep from pinching pet. (View D)
- 8) Use disposable maxi pads with adhesive backs as liners for Belly Band. (View E)


Note: use incontinence pads such as Tena or Poise for Belly Band sizes Large, XLarge & XXLarge. The incontinence pads are larger, thicker and will absorb more fluids.

 Cut pad into sections to fit size of Belly Band selected. (View E)



- 10)Place pad in middle of Belly Band. (View F)
- 11)Change pad as necessary.







SEWING INSTRUCTIONS


 Following manufacturer's instructions apply interfacing to Belly Band.

Note: interfacing is not necessary if using a heavier fabric such as denim or Ultrasuede.

- 2) RIGHT sides together sew Lining to Belly Band leaving one end open. (View A)
- 3) Trim corners. Turn right side out through opening & press.
- 4) Fold hem on open end of Belly Band and hand sew. (View B)
- 5) Topstitch. (View C)








 Sew Velcro to ends of Belly Band as noted on

pattern. (View D)

 Clip corners of Velcro to keep from pinching pet. (View D)





Use disposable maxi pads with adhesive backs as liners for the Belly Band. (View E)


Note: use incontinence pads such as Tena or Poise for Belly Band sizes Large, XLarge & XXLarge. The incontinence pads are larger, thicker and will absorb more fluids.

 Cut pad into sections that will fit size of Belly Band selected. (View E)

- 10)Place pad in middle of Belly Band.
- 11)Change pad as necessary. (View F)







XXLARGE BELLY BAND CUTTING LAYOUTS Tape pattern pieces together prior to cutting fabric.




BELLY BANDS

A1) BELLY BAND A / LINING

- A2) BELLY BAND A / LINING
- B1) BELLY BAND B / LINING
- B2) BELLY BAND B / LINING






BELLY BAND A Fabric

USE PIECE A1/A2 45" fabric

SELVAGES




BELLY BAND A Lining

USE PIECE A1/A2

45" fabric


SELVAGES



BELLY BAND A Interfacing

USE PIECE A1/A2

20"




BELLY BAND B Fabric

USE PIECE B1/B2

45" fabric


SELVAGES



BELLY BAND B Interfacing

USE PIECE B1/B2

20"



BELLY BAND B Lining

USE PIECE B1/B2

45" fabric

SELVAGES

B2 B1 POLD

